

**CAVIX®**

# **COMPANY PROFILE**

Create the future of photography with ingenuity





# CONTENTS

01

**Company Culture**

02

**Product Display**

03

**Production Capacity**

04

**Core Advantages**

05

**Contact Us**

**PART 01**

# **Company Culture**



# COMPANY INTRODUCTION




Zhongshan Jingge Electronic Technology Co., Ltd. founded in 2010, located in Tanzhou, Zhongshan Guangdong, China. We have been devoting ourselves to researching and developing of photography and videography support system. We are a comprehensive photographic equipment enterprise of integrating product research and development, design, manufacturing, sales and other services. After many years of continuous improvement of production and processing experience, learn from customers, well-known photographers' suggestions, we founded the "CAVIX" own brand to serve the majority of photography enthusiasts in 2018. CAVIX focuses on product design innovation, quality control, market research and after-sales service. We have a strong independent research and development team and perfect quality management system. Adhere to the customer-centric, market-oriented, pay close attention to the aspirations of fans in the field of photography, with product innovation technology and diversification to meet the needs of users. Our aim is to provide one-stop photography problem solution for the majority of photography enthusiasts. Strive to become a well-known brand which photography enthusiasts and professional photographers from domestic and foreign will lifetime choice.





# CORPORATE CULTURE



## SENSE OF MISSION

Corporate culture inspires a sense of mission in employees. Each corporate has its responsibility and mission, the sense of enterprise mission is the goal and direction of staff's work, and is the source of continuous development or progress of the enterprise.

## SENSE OF BELONGING

Corporate culture can unite employees' sense of belonging. The function of corporate culture is to make a group of people from different places pursue the same dream by refining and spreading the corporate value.

## SENSE OF RESPONSIBILITY

Corporate culture can strengthen staff's sense of responsibility. The enterprise should publicize the importance of staff's sense of responsibility through a large number of documents. And the management personnel should instill the sense of responsibility, crisis and team consciousness to staff, so that everyone can clearly understand that the enterprise is the common enterprise of all employees.

## SENSE OF HONOR

Corporate culture can bestow the sense of honor to staff. Everyone should make more contributions and achievement, and pursue more sense of honor in their work field.

## SENSE OF ACHIEVEMENT

Corporate culture can realize employees' sense of achievement. Prosperity is related to the survival of every employee of the company. The staff will be proud when the company prospers, and they will be more active efforts to forge ahead. The higher the glory, the greater and the more obvious the sense of achievement.

# ENTERPRISE ADVANTAGES

## Company Research and Development Team

The R & D department of the company is a young team with technology as the core concept, with more than 10 years of research and development and manufacturing experience in the field of photography accessories. Adhere to the customer-centric, market-oriented, focus on product design innovation and breakthrough, strictly quality control aimed at providing users with one-stop solutions. With dozens of technical innovation patent design, the products cover many series in the field of photography and videography, a total of more than 300 single products have been sold in many cities, customers all over the world. Our products have been favored and recognized by practitioners in the field of photography accessories.



## Professional Technical Team

The team has more than 10 years experience in R&D, manufacturing and quality control of photographic equipment.  
A number of factory production lines.  
Professional technical equipment to undertake orders

## Enterprise Scale

Cover an area of more than 2000 square meters. There are more than 200 employees at present, with more than 30 professionals of designers, structural engineers and promotion officer in the industry.

## Innovation to realize value

Give full play to our advantages. Adhering to the "people oriented, win-win cooperation" business philosophy. Continuous technology innovation, equipment innovation, service innovation and management innovation to develop more photographic and videographic equipment to meet the needs of the future development.

## Common Progress and Develop

Our company has established long-term and stable cooperate relations with a number of traders/domestic e-commerce/cross-border e-commerce agents, with reasonable prices and complete certifications.



# ENTERPRISE QUALIFICATIONS



◆  
◆  
◆  
**COMPANY HONORS**  
**Full Qualified, Trustworthy**

We don't define brand, let the quality define the brand.

PART 02

# Product Display





## Leopard Professional Tripod Series

## Leopard Professional Tripod Series



### LC254CB leopard professional tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 2.87lb
Max. /Min height: 59.25in/5.12in	Loading capacity: 17.64lb
Max. height (Exclude center column height): 49.41in	Tube angle: 23°/55°/85°
Folded height: 19.88in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	

\*Data is manual measurement. It exits slight error, please refer to the actual product



Quick Mounting in One Second



QR Plate Free Left and Right Switch



Safety Lock Against False Contact



Tilt Range  $\pm 22^\circ$  ,  
No Limitations for Shooting



Lock Lever



360° Panoramic Clamp






Slot Style Connecting Structure  
One Key Locks Multiple Sections



Center Column One Key Locking  
Quick Lifting & Closing, Light Force with Stable Locking



3/8" screws allow to  
change the head freely




Multiple Expansion 1/4 " accessory  
hole can connect with more devices



Non-slip rubber foot/spike can be  
switched freely to cope with complex  
terrain such as sand/stone etc

## Columnless Mode



Pressing To Remove  
the Weight Hook

Wrench to Dismantle  
the Center Column

Install the Short  
Center Column




1505mm/59.25in

1255mm/49.41in

955mm/37.60in

695mm/27.36in

475mm/18.70in





# Leopard Professional Tripod Series



## LC254CB

### LC254CB leopard professional tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 2.87lb
Max. /Min height: 59.25in/5.12in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 49.41in	Tube angle: 23°/55°/85°
Folded height: 19.88in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	



## LC254CC

### LC254CC leopard professional tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 2.87lb
Max. /Min height: 59.25in/5.12in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 49.41in	Tube angle: 23°/55°/85°
Folded height: 19.88in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	



## LC254CK

### LC254CKleopard professional tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 2.87lb
Max. /Min height: 59.25in/5.12in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 49.41in	Tube angle: 23°/55°/85°
Folded height: 19.88in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	

# Leopard Professional Tripod Series



## LC294CB

### LC294CB leopard professional tripod set

Main material: Carbon fiber	Tube diameter: 29.3/25.6/21.9/18.2mm
Sections: 4	Weight: 3.53lb
Max. /Min height: 63.39in/5.71in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 52.56in	Tube angle: 23°/55°/85°
Folded height: 21.26in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 35mm
Clamp type: Panoramic quick release clamp	



## LC294CC

### LC294CC leopard professional tripod set

Main material: Carbon fiber	Tube diameter: 29.3/25.6/21.9/18.2mm
Sections: 4	Weight: 3.53lb
Max. /Min height: 63.39in/5.71in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 52.56in	Tube angle: 23°/55°/85°
Folded height: 21.26 in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 35mm
Clamp type: Panoramic quick release clamp	



## LC294CK

### LC294CKleopard professional tripod set

Main material: Carbon fiber	Tube diameter: 29.3/25.6/21.9/18.2mm
Sections: 4	Weight: 3.53lb
Max. /Min height: 63.39in/5.71in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 52.56in	Tube angle: 23°/55°/85°
Folded height: 21.26in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 35mm
Clamp type: Panoramic quick release clamp	





# Leopard Video Tripod Series


## Leopard Video Tripod Series



### LV254CC leopard Video tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 3.31lb
Max. /Min height: 60.83in/6.69in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 50.79in	Tube angle: 23°/55°/85°
Folded height: 22.05in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Head type: Fluid Head	

\*Data is manual measurement. It exits slight error, please refer to the actual product



### Bowl type fluid integrated head


The integrated 15° quick-leveling bowl base and professional dynamic balance system design can provide gentle force assistance when shooting, making the picture more stable when shooting motion and stillness. The head provides continuous and reliable rebound force, allowing you to enjoy unlimited freedom in recording.



Tilt lock knob



Panoramic lock knob



Ready to use, just fast enough  
Arca-Swiss standard bayonet mount



Quick-adjust lever



Ergonomic handle  
compatible with both hands



More colors to  
meet different demands




1545mm/60.83in

1290mm50.79in


1100mm/43.31in

750mm/29.53in

525mm/20.67in



Slot Style Connecting Structure  
One Key Locks Multiple Sections



12 layers of 3K twill carbon fiber


## Columnless Mode




Pressing To Remove  
the Weight Hook




Wrench to Dismantle  
the Center Column



Install the Short  
Center Column



Multiple Expansion 1/4 " accessory  
hole can connect with more devices



3/8" screws allow to  
change the head freely



Center Column One Key Locking  
Quick Lifting & Closing,  
Light Force with Stable Locking







Leopard tripod can  
bear reach to 60kgs

# Leopard Video Tripod Series



## LV254CB

### LV254CB leopard video tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 3.31lb
Max. /Min height: 60.83in/6.69in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 50.79in	Tube angle: 23°/55°/85°
Folded height: 22.05in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	



## LV254CC

### LV254CC leopard videotripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 3.31lb
Max. /Min height: 60.83in/6.69in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 50.79in	Tube angle: 23°/55°/85°
Folded height: 22.05in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	



## LV254CK

### LV254CK leopard videol tripod set

Main material: Carbon fiber	Tube diameter: 25.6/21.9/18.2/14.5mm
Sections: 4	Weight: 3.31lb
Max. /Min height: 60.83in/6.69in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 50.79in	Tube angle: 23°/55°/85°
Folded height: 22.05in	QR plate screw: 1/4 "
With center column: Yes	Ball diameter: 30mm
Clamp type: Panoramic quick release clamp	



## Walking Photography Upgraded Tripod Series

## Walking Photography Upgraded Tripod Series

### ST284D2C 3 seconds quick disassemble center column tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.01lb
Max. /Min height: 63.19in/6.22in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 52.56in	Bearing plate diameter: 46mm
Folded height: 23.43in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: D-35S	Ball diameter: 35mm

\*Data is manual measurement. It exits slight error, please refer to the actual product


Quick detachable  
center column



The center column can  
be split into two parts by  
the quick release system



Bearing plate without  
center column



Detachable center coulum hook  
It can be used for center  
coulum or bearing plate



No center column state



Walking Photography Upgraded Tripod Series



ST324D3C

3 seconds quick disassemble center column tripod set

Main material: Carbon fiber	Tube diameter: 32/28/25/22mm
Sections: 4	Weight: 4.96lb
Max. /Min height: 68.70in/6.10in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 57.68in	Bearing plate diameter: 46mm
Folded height: 25.08in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: D-40S	Ball diameter: 40mm



ST284D2C

3 seconds quick disassemble center column tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.01lb
Max. /Min height: 63.19in/6.22in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 52.56in	Bearing plate diameter: 46mm
Folded height: 23.43in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: D-35S	Ball diameter: 35mm



ST284VS2C

3 seconds quick disassemble center column video tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.19lb
Max. /Min height: 63.19in/6.50in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 52.36in	Bearing plate diameter: 46mm
Folded height: 23.54in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: VS-02	Bottom diameter of head : 47mm

Walking Photography Upgraded Tripod Series



ST284VH2C

3 seconds quick disassemble center column video tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.96lb
Max. /Min height: 63.78in/7.09in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 52.95in	Bearing plate diameter: 46mm
Folded height: 24.13in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 " & 3/8 "
Tripod head model: VH-02	Bottom diameter of head : 65mm



ST-324C

3 seconds quick disassemble center column tripod

Main material: Carbon fiber	Tube diameter: 32/28/25/22mm
Sections: 4	Weight: 4.30lb
Max. /Min height: 66.34in/2.36in	Loading capacity: 88.18lb
Max. height (Exclude center column height) : 55.31in	Bearing plate diameter: 46mm
Folded height: 22.83in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "




ST-284C

3 seconds quick disassemble center column tripod

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 3.15lb
Max. /Min height: 59.65in/2.95in	Loading capacity: 66.14lb
Max. height (Exclude center column height) : 48.82in	Bearing plate diameter: 46mm
Folded height: 20.00in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "





## Romantic Lightweight Tripod Series

## Romantic Lightweight Tripod Series



### CT2540 carbon fiber no-center-column travel photography tripod set


Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.73lb
Max. height: 52.56in	Loading capacity: 17.64lb
Min. height: 4.92in	Bearing plate diameter: 49mm
Folded height: 21.26in	Tube angle: 23°/55°/85°
Tripod head model: H-35A	QR plate screw: 1/4 "
Ball diameter: 35mm	Bottom diameter of head: 50mm

\*Data is manual measurement. It exits slight error, please refer to the actual product



### Extramounting Sockets

There is a 1/4" interface on the side of the base to match the "magic arm". Can connect devices such as mobile phone, microphone and flash light, enriching the tripod functionality.



### Flip locking system

Ensures the portability and safety of the tripod, quickly loosens and locks the tripod, and the carbon fiber tripod is more stable



### Push-type gear adjustment system

The angle adjustment is divided into high, medium and low three gears, and the height can be adjusted according to your own needs



# Romantic Lightweight Tripod Series



**Monopod Function**





# Romantic Lightweight Tripod Series



### CT2540

**Carbon fiber no-center-column travel photography tripod set**

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.73lb
Max. height: 52.56in	Loading capacity: 17.64lb
Min. height: 4.92in	Bearing plate diameter: 49mm
Folded height: 21.26in	Tube angle: 23°/55°/85°
Tripod head model: H-35A	QR plate screw: 1/4 "
Ball diameter: 35mm	Bottom diameter of head : 50mm



### AT2540

**Aluminum alloy no-center-column travel photography tripod set**

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.17lb
Max. height: 52.56in	Loading capacity: 17.64lb
Min. height: 4.92in	Bearing plate diameter: 49mm
Folded height: 21.26in	Tube angle: 23°/55°/85°
Tripod head model: H-35A	QR plate screw: 1/4 "
Ball diameter: 35mm	Bottom diameter of head : 50mm



### CT2540VS2

**Carbon fiber portable micro SLR video tripod set**

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.15lb
Max. height: 53.15in	Loading capacity: 11.02lb
Min. height: 5.51in	Bearing plate diameter: 49mm
Folded height: 21.65in	Tube angle: 23°/55°/85°
Tripod head model: VS-02	QR plate screw: 1/4 "
Screws at the Bottom of the head : Free 3/8 " to 1/4 " screw	Bottom diameter of head : 47mm



Romantic Lightweight Tripod Series



AT2540VS2

Aluminum alloy portable micro SLR video tripod set

Main material: Aluminum Alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.57lb
Max. height: 53.15in	Loading capacity: 11.02lb
Min. height: 5.51in	Bearing plate diameter: 49mm
Folded height: 21.65in	Tube angle: 23°/55°/85°
Tripod head model: VS-02	QR plate screw: 1/4 "
Bottom screw of head: 3/8 "	Bottom diameter of head : 47mm
Free 3/8 " to 1/4 " screw	



CT2542

Carbon fiber reverse folding portable tripod set

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.82lb
Max. /Min height: 62.20in/17.20in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 43.98in	Bearing plate diameter: 43mm
Folded height: 15.75in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: H-28S	Ball diameter: 28mm



AT2542

Aluminum alloy reverse folding portable tripod set

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.24lb
Max. /Min height: 62.20in/17.20in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 43.98in	Bearing plate diameter: 43mm
Folded height: 15.75in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: H-28S	Ball diameter: 28mm

Romantic Lightweight Tripod Series



CT2542VS2

Carbon fiber portable micro SLR video tripod set

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.42lb
Max. /Min height: 63.19in/18.11in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 44.88in	Bearing plate diameter: 43mm
Folded height: 16.14in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "
Tripod head model: VS-02	Bottom diameter of head: 47mm



AT2542VS2

Aluminum alloy portable micro SLR video tripod set

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.86lb
Max. /Min height: 63.19in/18.11in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 44.88in	Bearing plate diameter: 43mm
Folded height: 16.14in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "
Tripod head model: VS-02	Bottom diameter of head: 47mm



AT2542H

78.74in upgraded reverse folding travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.68lb
Max. /Min height: 78.74in/18.27in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 54.72in	Bearing plate diameter: 43mm
Folded height: 18.27in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: H-28S	Ball diameter: 28mm



# Romantic Lightweight Tripod Series



AT2542HVS2	
Aluminum alloy portable micro SLR video tripod set	
Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 4.28lb
Max. /Min height: 79.13in/18.66in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 55.59in	Bearing plate diameter: 43mm
Folded height: 18.66in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "
Tripod head model: VS-02	Bottom diameter of head : 47mm

# Romantic Lightweight Tripod Series



CT2542C	
Carbon fiber reverse folding portable tripod	
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.20lb
Max. /Min height: 59.65in/14.57in	Loading capacity: 44.09lb
Max. height (Exclude center column height) : 41.34in	Bearing plate diameter: 43mm
Folded height: 15.75in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "



CT2540C	
Carbon fiber no-center-column travel photography tripod	
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.12lb
Max. height: 49.61in	Loading capacity: 44.09lb
Min. height: 1.97in	Bearing plate diameter: 49mm
Folded height: 18.11in	Tube angle: 23°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



AT2542A	
Aluminum alloy reverse folding portable tripod	
Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.82lb
Max. /Min height: 59.65in/14.57in	Loading capacity: 44.09lb
Max. height (Exclude center column height) : 41.34in	Bearing plate diameter: 43mm
Folded height: 15.75in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "



AT2540A	
Aluminum alloy no-center-column travel photography tripod	
Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.54lb
Max. height: 49.61in	Loading capacity: 44.09lb
Min. height: 1.97in	Bearing plate diameter: 49mm
Folded height: 18.11in	Tube angle: 23°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



AT2542HA	
75.59in upgraded reverse folding travel photography tripod	
Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.24lb
Max. /Min height: 75.59in/15.16in	Loading capacity: 44.09lb
Max. height (Exclude center column height) : 52.05in	Bearing plate diameter: 43mm
Folded height: 18.27in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "





## Haifeng Video Tripod Series

## Haifeng Video Tripod Series



### VC-362V2C carbon fiber mini video tripod set

Main material: Carbon fiber	Tube diameter: 36/32mm
Sections: 2	Weight: 4.74lb
Max. height: 18.70in	Loading capacity: 17.64lb
Min. height: 7.17in	Bearing plate diameter: 65mm
Folded height: 15.67in	Tube angle: 24°/55°/85°
Tripod head model: VH-02	QR plate screw: 1/4 " & 3/8 "
Bottom diameter of head : 65mm	Bearing plate screw: 3/8 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



### Overhead locking design

Multi-angle shooting is stable and smooth



### Semi-automatic pull-out type adjustment system

Angle adjustment is divided into high (24°) medium (55°) low (85 °) three gears.It can be adjusted according to your own needs.



### New bowl structure

± 15 ° fine-tuning, quick leveling



### Extramounting Sockets

The triangular seat has two 3/8" external interface.Can connect devices such as mobile phone, microphone and flash light.



# Haifeng Video Tripod Series



## VC-362V2C

### Carbon fiber mini video tripod set

Main material: Carbon fiber	Tube diameter: 36/32mm
Sections: 2	Weight: 4.74lb
Max. height: 18.70in	Loading capacity: 17.64lb
Min. height: 7.17in	Bearing plate diameter: 65mm
Folded height: 15.67in	Tube angle: 24°/55°/85°
Tripod head model: VH-02	QR plate screw: 1/4 " & 3/8 "
Bottom diameter of head : 65mm	Bearing plate screw: 3/8 "

# Haifeng Video Tripod Series



## VC-362C

### Carbon fiber mini video tripod

Main material: Carbon fiber	Tube diameter: 36/32mm
Sections: 2	Weight: 2.93lb
Max. height: 14.25in	Loading capacity: 110.23lb
Min. height: 2.72in	Bearing plate diameter: 65mm
Folded height: 11.26in	Tube angle: 24°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



## VF-363V2C

### Carbon fiber professional video tripod set

Main material: Carbon fiber	Tube diameter: 36/32/28mm
Sections: 3	Weight: 6.61lb
Max. height: 57.60in	Loading capacity: 17.64lb
Min. height: 8.62in	Bearing plate diameter: 65mm
Folded height: 29.13in	Tube angle: 24°/55°/85°
Tripod head model: VH-02	QR plate screw: 1/4 " & 3/8 "
Bottom diameter of head : 65mm	Bearing plate screw: 3/8 "



## VF-363C

### Carbon fiber professional video tripod

Main material: Carbon fiber	Tube diameter: 36/32/28mm
Sections: 3	Weight: 4.81lb
Max. height: 53.15in	Loading capacity: 110.23lb
Min. height: 4.17in	Bearing plate diameter: 65mm
Folded height: 24.72in	Tube angle: 24°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



## VF-364V2C

### Carbon fiber professional video tripod set

Main material: Carbon fiber	Tube diameter: 36/32/28/25mm
Sections: 4	Weight: 6.83lb
Max. height: 61.54in	Loading capacity: 17.64lb
Min. height: 8.39in	Bearing plate diameter: 65mm
Folded height: 26.58in	Tube angle: 24°/55°/85°
Tripod head model: VH-02	QR plate screw: 1/4 " & 3/8 "
Bottom diameter of head : 65mm	Bearing plate screw: 3/8 "



## VF-364C

### Carbon fiber professional video tripod

Main material: Carbon fiber	Tube diameter: 36/32/28/25mm
Sections: 4	Weight: 5.09lb
Max. height: 57.09in	Loading capacity: 110.23lb
Min. height: 3.94in	Bearing plate diameter: 65mm
Folded height: 22.17in	Tube angle: 24°/55°/85°
With center column: No	Bearing plate screw: 3/8 "





## Pioneer No-Center-Column Tripod Series

### W-324D3C no-center-column scenery tripod set

Main material: Carbon fiber	Tube diameter: 32/28/25/22mm
Sections: 4	Weight: 4.10lb
Max. height: 54.72in	Loading capacity: 22.05lb
Min. height: 6.50in	Bearing plate diameter: 50mm
Folded height: 22.64in	Tube angle: 23°/55°/85°
Tripod head model: D-40S	QR plate screw: 1/4 "
Ball diameter: 40mm	Bottom diameter of head : 53mm

\*Data is manual measurement. It exits slight error, please refer to the actual product




#### Base Hollowed-out Design

Minimize weight without affecting the stability of the tripod



#### 1/4" Screw Hole

Standard 1/4" screw hole, widely connect with other equipments



#### Extramounting Sockets

The triangular seat has 3/8" external interface. Can connect devices such as mobile phone, microphone and flash light.



#### Semi-automatic Pull-out Type Adjustment System

Angle adjustment is divided into high (23°) medium (55°) low (85°) three gears. It can be adjusted according to your own needs.

## Pioneer No-Center-Column Tripod Series



Pioneer No-Center-Column Tripod Series



W-132F0C

Carbon fiber no-center-column live streaming tripod set

Main material: Carbon fiber	Tube diameter: 13/10mm
Sections: 2	Weight: 0.75lb
Max. height: 10.04in	Loading capacity: 4.41lb
Min. height: 3.54in	Bearing plate diameter: 25mm
Folded height: 8.66in	Tube angle: 35°/55°/85°
Tripod head model: FL-20R	QR plate screw: 1/4 "
Ball diameter : 20mm	Bottom diameter of head: 25mm

Pioneer No-Center-Column Tripod Series



W-254D1C

Carbon fiber no-center-column scenery tripod set

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.65lb
Max. height: 48.43in	Loading capacity: 17.64lb
Min. height: 5.43in	Bearing plate diameter: 43mm
Folded height: 20.28in	Tube angle: 22°/55°/85°
Tripod head model: D-30S	QR plate screw: 1/4 "
Ball diameter : 30mm	Bottom diameter of head: 43mm



W-222D0C

Carbon fiber no-center-column climbing tripod set

Main material: Carbon fiber	Tube diameter: 22/19mm
Sections: 2	Weight: 1.48lb
Max. height: 13.39in	Loading capacity: 13.23lb
Min. height: 4.33in	Bearing plate diameter: 38mm
Folded height: 11.02in	Tube angle: 25°/55°/85°
Tripod head model: D-25D	QR plate screw: 1/4 "
Ball diameter : 25mm	Bottom diameter of head: 37mm



W-284D2C

Carbon fiber no-center-column scenery tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 3.42lb
Max. height: 50.79in	Loading capacity: 17.64lb
Min. height: 6.30in	Bearing plate diameter: 46mm
Folded height: 21.46in	Tube angle: 23°/55°/85°
Tripod head model: D-35S	QR plate screw: 1/4 "
Ball diameter : 35mm	Bottom diameter of head: 48mm



W-223D1C

Carbon fiber no-center-column climbing tripod set

Main material: Carbon fiber	Tube diameter: 22/19/16mm
Sections: 3	Weight: 1.87lb
Max. height: 27.56in	Loading capacity: 11.02lb
Min. height: 4.92in	Bearing plate diameter: 38mm
Folded height: 15.55in	Tube angle: 25°/55°/85°
Tripod head model: H-28S	QR plate screw: 1/4 "
Ball diameter : 28mm	Bottom diameter of head: 41mm



W-324D3C

Carbon fiber no-center-column scenery tripod set

Main material: Carbon fiber	Tube diameter: 32/28/25/22mm
Sections: 4	Weight: 4.10lb
Max. height: 54.72in	Loading capacity: 22.05lb
Min. height: 6.50in	Bearing plate diameter: 50mm
Folded height: 22.64in	Tube angle: 23°/55°/85°
Tripod head model: D-40S	QR plate screw: 1/4 "
Ball diameter : 40mm	Bottom diameter of head: 53mm



Pioneer No-Center-Colum Tripod Series



W-132C

Carbon fiber no-center-column live streaming tripod

Main material: Carbon fiber	Tube diameter: 13/10mm
Sections: 2	Weight: 0.46lb
Max. height: 7.87in	Loading capacity: 22.05lb
Min. height: 1.38in	Bearing plate diameter: 25mm
Folded height: 6.69in	Tube angle: 35°/55°/85°
With center column: No	Bearing plate screw: 1/4 " & 3/8 "



W-222C

Carbon fiber no-center-column climbing tripod

Main material: Carbon fiber	Tube diameter: 22/19mm
Sections: 2	Weight: 1.06lb
Max. height: 10.63in	Loading capacity: 44.09lb
Min. height: 1.81in	Bearing plate diameter: 38mm
Folded height: 8.46in	Tube angle: 25°/55°/85°
With center column: No	Bearing plate screw: 1/4 " & 3/8 "



W-223C

Carbon fiber no-center-column climbing tripod

Main material: Carbon fiber	Tube diameter: 22/19/16mm
Sections: 3	Weight: 1.46lb
Max. height: 24.92in	Loading capacity: 33.07lb
Min. height: 2.28in	Bearing plate diameter: 38mm
Folded height: 12.91in	Tube angle: 25°/55°/85°
With center column: No	Bearing plate screw: 1/4 " & 3/8 "

Pioneer No-Center-Colum Tripod Series



W-254C

Carbon fiber no-center-column scenery tripod

Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.03lb
Max. height: 45.28in	Loading capacity: 44.09lb
Min. height: 2.28in	Bearing plate diameter: 43mm
Folded height: 17.13in	Tube angle: 22°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



W-284C

Carbon fiber no-center-column scenery tripod

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 2.43lb
Max. height: 47.24in	Loading capacity: 66.14lb
Min. height: 2.76in	Bearing plate diameter: 46mm
Folded height: 17.91in	Tube angle: 23°/55°/85°
With center column: No	Bearing plate screw: 3/8 "



W-324C

Carbon fiber no-center-column scenery tripod

Main material: Carbon fiber	Tube diameter: 32/28/25/22mm
Sections: 4	Weight: 2.95lb
Max. height: 51.18in	Loading capacity: 88.18lb
Min. height: 2.95in	Bearing plate diameter: 50mm
Folded height: 19.09in	Tube angle: 23°/55°/85°
With center column: No	Bearing plate screw: 3/8 "





# Variety Spirit Tripod Series

## Variety Spirit Tripod Series



### PT284X2C carbon fiber multifunctional photography tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 3.31lb
Max. height: 51.18in	Loading capacity: 17.64lb
Min. height: 6.89in	Bearing plate diameter: 47mm
Folded height: 21.77in	Tube angle: 23°/55°/85°
Tripod head model: X-35S	QR plate screw: 1/4 "
Ball diameter: 35mm	Bottom diameter of head: 47mm

\*Data is manual measurement. It exits slight error, please refer to the actual product



Professional tripod



Tabletop Tripod



Monopod



Trekking Poles



Monopod with Tripod Base





# Variety Spirit Tripod Series



PT-254X1C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm		
Sections: 4	Weight: 2.78lb		
Max. height: 48.82in	Loading capacity: 17.64lb		
Min. height: 6.54in	Bearing plate diameter: 45mm		
Folded height: 20.79in	Tube angle: 22°/55°/85°		
Tripod head model: X-30S	QR plate screw: 1/4 "		
Ball diameter: 30mm	Bottom diameter of head : 43mm		



PT-284X2C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 28/25/22/19mm		
Sections: 4	Weight: 3.31lb		
Max. height: 51.18in	Loading capacity: 17.64lb		
Min. height: 6.89in	Bearing plate diameter: 47mm		
Folded height: 21.77in	Tube angle: 23°/55°/85°		
Tripod head model: X-35S	QR plate screw: 1/4 "		
Ball diameter: 35mm	Bottom diameter of head : 47mm		



PT-324X3C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 32/28/25/22mm		
Sections: 4	Weight: 4.41lb		
Max. height: 55.31in	Loading capacity: 22.05lb		
Min. height: 7.36in	Bearing plate diameter: 52mm		
Folded height: 23.35in	Tube angle: 24°/55°/85°		
Tripod head model: X-40S	QR plate screw: 1/4 "		
Ball diameter: 40mm	Bottom diameter of head : 52mm		

# Variety Spirit Tripod Series



PT-254C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm		
Sections: 4	Weight: 1.94lb		
Max. height: 45.28in	Loading capacity: 44.09lb		
Min. height: 2.95in	Bearing plate diameter: 45mm		
Folded height: 17.20in	Tube angle: 22°/55°/85°		
With center column: No	Bearing plate screw: 3/8 "		



PT-284C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 28/25/22/19mm		
Sections: 4	Weight: 2.47lb		
Max. height: 47.24in	Loading capacity: 66.14lb		
Min. height: 3.07in	Bearing plate diameter: 47mm		
Folded height: 17.95in	Tube angle: 23°/55°/85°		
With center column: No	Bearing plate screw: 3/8 "		



PT-324C			
Carbon fiber multifunctional photography tripod set			
Main material: Carbon fiber	Tube diameter: 32/28/25/22mm		
Sections: 4	Weight: 3.13lb		
Max. height: 51.18in	Loading capacity: 88.18lb		
Min. height: 3.23in	Bearing plate diameter: 52mm		
Folded height: 19.21in	Tube angle: 23°/55°/85°		
With center column: No	Bearing plate screw: 3/8 "		





# Walking Photography Classic Tripod Series

## Walking Photography Classic Tripod Series



### PF284H1C carbon fiber reverse folding portable tripod set

Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.08lb
Max. /Min height: 62.99in/8.58in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 52.36in	Bearing plate diameter: 47mm
Folded height: 18.50in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: FH-35	Ball diameter: 35mm

\*Data is manual measurement. It exits slight error, please refer to the actual product



180° Reverse Folding



Invert Center Column



Convert to Monopod





# Walking Photography Classic Tripod Series



PF225H0C	
Carbon fiber reverse folding portable tripod set	
Main material: Carbon fiber	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 2.80lb
Max. /Min height: 57.09in/13.39in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 46.46in	Bearing plate diameter: 40mm
Folded height: 13.78in	Tube angle: 21°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: FH-30	Ball diameter: 30mm



PF254H1C	
Carbon fiber reverse folding portable tripod set	
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.53lb
Max. /Min height: 61.02in/8.07in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 51.18in	Bearing plate diameter: 44mm
Folded height: 17.91in	Tube angle: 22°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: FH-35	Ball diameter: 35mm



PF284H1C	
Carbon fiber reverse folding portable tripod set	
Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 4.08lb
Max. /Min height: 62.99in/8.58in	Loading capacity: 17.64lb
Max. height (Exclude center column height) : 52.36in	Bearing plate diameter: 47mm
Folded height: 18.50in	Tube angle: 23°/55°/85°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: FH-35	Ball diameter: 35mm

# Walking Photography Classic Tripod Series



PF-225C	
Carbon fiber reverse folding portable tripod	
Main material: Carbon fiber	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 1.98lb
Max. /Min height: 53.54in/9.84in	Loading capacity: 33.07lb
Max. height (Exclude center column height) : 42.91in	Bearing plate diameter: 40mm
Folded height: 13.78in	Tube angle: 21°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "



PF-254C	
Carbon fiber reverse folding portable tripod	
Main material: Carbon fiber	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 2.60lb
Max. /Min height: 57.28in/4.33in	Loading capacity: 44.09lb
Max. height (Exclude center column height) : 47.05in	Bearing plate diameter: 44mm
Folded height: 17.91in	Tube angle: 22°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "



PF-284C	
Carbon fiber reverse folding portable tripod set	
Main material: Carbon fiber	Tube diameter: 28/25/22/19mm
Sections: 4	Weight: 3.09lb
Max. /Min height: 58.86in/4.84in	Loading capacity: 66.14lb
Max. height (Exclude center column height) : 48.62in	Bearing plate diameter: 47mm
Folded height: 18.50in	Tube angle: 23°/55°/85°
With center column: Yes	Bearing plate screw: 3/8 "



# Walking Photography Classic Tripod Series



## P0-225B0C

### Carbon fiber portable travel photography tripod set

Main material: Carbon fiber	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 2.43lb
Max. /Min height: 58.27in/13.98in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 44.49in	Bearing plate diameter: 37mm
Folded height: 13.98in	Tube angle: 21°/55°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-02J	Ball diameter: 28mm



## P0-225MOA

### Aluminum alloy portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 2.76lb
Max. /Min height: 58.27in/13.98in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 44.49in	Bearing plate diameter: 37mm
Folded height: 13.98in	Tube angle: 21°/55°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-02J	Ball diameter: 28mm



## P0-254X1A

### Aluminum alloy portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.86lb
Max. /Min height: 59.84in/17.20in	Loading capacity: 17.64lb
Max. height (Exclude center column height): 50.59in	Bearing plate diameter: 44mm
Folded height: 17.20in	Tube angle: 22°/55°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: X1	Ball diameter: 30mm

# Walking Photography Classic Tripod Series



## P0-225C

### Carbon fiber portable travel photography tripod

Main material: Carbon fiber	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 2.03lb
Max. /Min height: 55.31in/11.02in	Loading capacity: 33.07lb
Max. height (Exclude center column height): 41.54in	Bearing plate diameter: 37mm
Folded height: 13.98in	Tube angle: 21°/55°/80°
With center column: Yes	Bearing plate screw: 3/8 "



## P0-225A

### Aluminum alloy portable travel photography tripod

Main material: Aluminum alloy	Tube diameter: 22/19/16/13/10mm
Sections: 5	Weight: 2.34lb
Max. /Min height: 55.31in/11.02in	Loading capacity: 33.07lb
Max. height (Exclude center column height): 41.54 in	Bearing plate diameter: 37mm
Folded height: 13.98in	Tube angle: 21°/55°/80°
With center column: Yes	Bearing plate screw: 3/8 "



## P0-254A

### Aluminum alloy portable travel photography tripod

Main material: Aluminum alloy	Tube diameter: 25/22/19/16mm
Sections: 4	Weight: 3.22lb
Max. /Min height: 56.69in/14.06in	Loading capacity: 44.09lb
Max. height (Exclude center column height): 47.44in	Bearing plate diameter: 44mm
Folded height: 17.20in	Tube angle: 21°/55°/80°
With center column: Yes	Bearing plate screw: 1/4 " & 3/8 "





# Desktop Tripod Series

## Desktop Tripod Series




### LS215APS aluminum alloy reverse folding portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 2.73lb
Max. /Min height: 59.84in/12.80in	Loading capacity: 11.02lb
Max. height (Exclude center column height) : 48.03in	Bearing plate diameter: 28mm
Folded height: 12.20in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-04	Ball diameter: 20mm

\*Data is manual measurement. It exits slight error, please refer to the actual product



Multifunctional and multi machine balance clamp



2 x External Cold Shoes



4 x Twist Knob 1/4 " Screws



12 x1/4 " Screw Sockets



**Multi-device Mode**  
Multi-device simultaneous live streaming



**180° Reverse Folding**  
Only Weight 0.85kg,Folded Length 31cm, load capacity 5kg



Desktop Tripod Series



360°Rotation Ball Head

Vertical & horizontal shooting for all directions




Angle Stop

3 gear adjustments, adjustable according to one's own needs



Internal Leg Lock System

Easy operation & decent design, just pull out tripod legs and rotate right, then leg lock is done



Webcast tripod



Invert Center Column



Convert to selfie stick



Desktop Tripod Series



K521

Aluminum alloy reverse folding desktop tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 1.59lb
Max. /Min height: 20.08in/6.69in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 18.70in	Bearing plate diameter: 40mm
Folded height: 6.30in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: H-28	Ball diameter: 28mm



K521S

Aluminum alloy reverse folding desktop tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 1.76lb
Max. /Min height: 35.04in/9.84in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 30.31in	Bearing plate diameter: 40mm
Folded height: 9.45in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: H-28	Ball diameter: 28mm



LS215AMT3

Aluminum alloy reverse folding portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 2.36lb
Max. /Min height: 59.33in/12.28in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 47.52in	Bearing plate diameter: 28mm
Folded height: 12.28in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-03	Ball diameter: 25mm



Desktop Tripod Series



LS215AMT4

Aluminum alloy reverse folding portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 2.29lb
Max. /Min height: 59.06in/12.01in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 47.24in	Bearing plate diameter: 28mm
Folded height: 12.20in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-04	Ball diameter: 20mm



LS215APS

Aluminum alloy reverse folding portable travel photography tripod set

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 2.73lb
Max. /Min height: 59.84in/12.80in	Loading capacity: 11.02lb
Max. height (Exclude center column height): 48.03in	Bearing plate diameter: 28mm
Folded height: 12.20in	Tube angle: 21°/50°/80°
With center column: Yes	QR plate screw: 1/4 "
Tripod head model: MT-04	Ball diameter: 20mm



LS-02S

Aluminum alloy desktop portable tripod set

Main material: Aluminum alloy	Tube diameter: /
Sections: 1	Weight: 0.88lb
Max. height: 7.68in	Loading capacity: 11.02lb
Min. height: 5.12in	Bearing plate diameter: 38mm
Folded height: 9.65in	Tube angle: 35°/70°
Tripod head model: H-28S	QR plate screw: 1/4 "
Ball diameter: 28mm	Bottom diameter of head : 41mm

Desktop Tripod Series



MT-02

Aluminum alloy desktop portable tripod set

Main material: Aluminum alloy	Tube diameter: /
Sections: 1	Weight: 0.77lb
Max. height: 7.87in	Loading capacity: 11.02lb
Min. height: 5.12in	Bearing plate diameter: 34mm
Folded height: 8.66in	Tube angle: 35°/70°
Tripod head model: MT-02	QR plate screw: 1/4 "
Ball diameter: 28mm	Bottom diameter of head : 37mm



FT-28DS

Versatile shape octopus tripod set

Main material: High elasticity plastic+ABS	Tube diameter: 17mm
Sections: 1	Weight: 0.64lb
Max. height: 13.58in	Loading capacity: 4.41lb
Min. height: 7.87in	Bearing plate diameter: 33mm
Folded height: 14.37in	Bearing plate screw: 1/4 "
Tripod head model: D-20	Ball diameter: 20mm
Phone holder size: 3.35in*1.50in*1.02in	Phone holder clamping range: 2.20in-3.39in



FT-18S

Versatile shape octopus tripod set

Main material: High elasticity plastic+ABS	Tube diameter: 17mm
Sections: 1	Weight: 0.55lb
Max. height: 12.20in	Loading capacity: 4.41lb
Min. height: 6.54in	Bearing plate diameter: 31mm
Folded height: 13.19in	Bearing plate screw: 1/4 "
Phone holder size: 2.87in*1.42in*0.98in	Phone holder clamping range: 2.17in-3.35in



Desktop Tripod Series



K521A

Aluminum alloy reverse folding desktop tripod

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 1.12lb
Max. /Min height: 17.72in/3.94in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 16.14in	Bearing plate diameter: 40mm
Folded height: 6.30in	Tube angle: 21°/50°/80°
With center column: Yes	Bearing plate screw: 3/8 "



K521SA

Aluminum alloy reverse folding desktop tripod

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 1.34lb
Max. /Min height: 32.28in/7.09in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 27.56in	Bearing plate diameter: 40mm
Folded height: 9.06in	Tube angle: 21°/50°/80°
With center column: Yes	Bearing plate screw: 3/8 "



LS215AS

Aluminum alloy reverse folding portable travel photography tripod

Main material: Aluminum alloy	Tube diameter: 21/18/15/12/9mm
Sections: 5	Weight: 2.16lb
Max. /Min height: 57.09in/10.04in	Loading capacity: 22.05lb
Max. height (Exclude center column height) : 45.28in	Bearing plate diameter: 28mm
Folded height: 12.20in	Tube angle: 21°/50°/80°
With center column: Yes	Bearing plate screw: 1/4 "

Desktop Tripod Series



LS-02A

Aluminum alloy desktop portable tripod

Main material: Aluminum alloy	Tube diameter: 35°/70°
Sections: 1	Weight: 0.44lb
Max. height: 5.12in	Loading capacity: 33.07lb
Min. height: 2.36in	Bearing plate diameter: 38mm
Folded height: 6.89in	Bearing plate screw: 1/4 "



FT-28D

Versatile shape octopus tripod

Main material: High elasticity plastic+ABS	Tube diameter: 17mm
Sections: 1	Weight: 0.55lb
Max. height: 10.24in	Loading capacity: 4.41lb
Min. height: 4.53in	Bearing plate diameter: 33mm
Folded height: 11.02in	Bearing plate screw: 1/4 "
Tripod head model: D-20	Ball diameter: 20mm



FT-18A

Versatile shape octopus tripod

Main material: High elasticity plastic+ABS	Tube diameter: 17mm
Sections: 1	Weight: 0.51lb
Max. height: 9.33in	Loading capacity: 4.41lb
Min. height: 3.66in	Bearing plate diameter: 31mm
Folded height: 10.24in	Bearing plate screw: 1/4 "





# Low Profile Tripod Head H Series

## Low Profile Tripod Head H Series



H-35B low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.95in
Ball diameter: 35mm	Weight: 0.71lb
Base diameter: 50mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: panoramic view	QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



35mm metal ball



Bubble level



Pull-out adjustment knob



**360° Rotating Ball**  
The ball rotates 360°, the angle can be adjusted at will



**360° Panoramic shooting**  
No need to adjust the legs, you can quickly level it for horizontal or panoramic pictures





# Low Profile Tripod Head H Series



## H-46

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.27in
Ball diameter: 46mm	Weight: 0.79lb
Base diameter: 59mm	Loading capacity: 26.46lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: panoramic view	QR plate screw: 1/4 "



## H-35

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.95in
Ball diameter: 35mm(Plastic ball)	Weight: 0.71lb
Base diameter: 50mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: panoramic view	QR plate screw: 1/4 "



## H-35A

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.95in
Ball diameter: 35mm	Weight: 0.68lb
Base diameter: 50mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: panoramic view	QR plate screw: 1/4 "

# Low Profile Tripod Head H Series



## H-35R

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.11in
Ball diameter: 50mm	Weight: 0.71lb
Base diameter: 35mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



## H-28S

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.64in
Ball diameter: 28mm	Weight: 0.42lb
Base diameter: 41mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: H-28 QR plate
360° Rotation: Panoramic view	QR plate screw: 1/4 "



## H-28

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.64in
Ball diameter: 28mm	Weight: 0.42lb
Base diameter: 40mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: H-28 QR plate
360° Rotation: Panoramic view	QR plate screw: 1/4 "





## Low Profile Tripod Head D Series

## Low Profile Tripod Head D Series



### D-35 Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy

Height: 3.27in

Ball diameter: 35mm

Weight: 0.86lb

Base diameter: 48mm

Loading capacity: 17.64lb

Bottom screw hole: 3/8 "

QR plate model: PU-70

360° Rotation: Dual panoramic view

QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



35mm metal ball



Bubble level



3/8" screw hole



### Double U slot design

Making it more convenient to take photos  
Vertical & horizontal shooting



### 3 knobs control

Coarse adjustment, fine adjustment with  
the use of better results





# Low Profile Tripod Head D Series



**D-55A**

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.94in
Ball diameter: 55mm	Weight: 1.72lb
Base diameter: 70mm	Loading capacity: 26.46lb
Bottom screw hole: 3/8 "	QR plate model: PU-70L
360° Rotation: Panoramic view	QR plate screw: 1/4 "



**D-55P**

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 4.14in
Ball diameter: 55mm	Weight: 1.70lb
Base diameter: 70mm	Loading capacity: 26.46lb
Bottom screw hole: 3/8 "	QR plate model: PU-70
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



**D-55R**

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 4.33in
Ball diameter: 55mm	Weight: 1.81lb
Base diameter: 70mm	Loading capacity: 26.46lb
Bottom screw hole: 3/8 "	QR plate model: PU-70L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "

# Low Profile Tripod Head D Series



**D-40**

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.66in
Ball diameter: 40mm	Weight: 1.06lb
Base diameter: 53mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	QR plate model: PU-70
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



**D-40S**

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.66in
Ball diameter: 40mm	Weight: 0.99lb
Base diameter: 53mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	QR plate model: PU-70
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



**D-35S**

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.43in
Ball diameter: 35mm	Weight: 0.86lb
Base diameter: 48mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-70
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



Low Profile Tripod Head D Series



D-30

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.39in
Ball diameter: 30mm	Weight: 0.66lb
Base diameter: 43mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: X-36 QR plate
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



D-30S

Low profile dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.15in
Ball diameter: 30mm	Weight: 0.66lb
Base diameter: 43mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



D-25

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.48in
Ball diameter: 25mm	Weight: 0.29lb
Base diameter: 37mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	Bearing plate diameter: 28mm
360° Rotation: Panoramic view	QR plate screw: 1/4 "

Low Profile Tripod Head D Series



D-25C

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.48in
Ball diameter: 25mm	Weight: 0.29lb
Base diameter: 37mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "



D-25D

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.83in
Ball diameter: 25mm	Weight: 0.44lb
Base diameter: 37mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "



D-25R

Low profile panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.64in
Ball diameter: 25mm	Weight: 0.40lb
Base diameter: 37mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "





## Ball Head X Series

## Ball Head X Series



### X-30S dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy

Height: 3.58in

Ball diameter: 30mm

Weight: 0.66lb

Base diameter: 43mm

Loading capacity: 17.64lb

Bottom screw hole: 3/8 "

QR plate model: PU-60L

360° Rotation: Dual panoramic view

QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



30mm metal ball



Bubble level



3/8" screw hole



### Baffle retractable design

Special design of the extension & retract barrier for keep camera safe



### 720° Double Panorama Design

It's convenient for photographers to adjust the position of camera freely and creat perfect panoramic works.





Ball Head X Series



X-44

Panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 4.13in
Ball diameter: 44mm	Weight: 1.06lb
Base diameter: 58mm	Loading capacity: 26.46lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "



X-40S

Dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 4.06in
Ball diameter: 40mm	Weight: 1.01lb
Base diameter: 52mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	QR plate model: PU-70L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



X-36

Panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.58in
Ball diameter: 36mm	Weight: 0.77lb
Base diameter: 50mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "

Ball Head X Series



X-35S

Dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.78in
Ball diameter: 35mm	Weight: 0.82lb
Base diameter: 47mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



X-30S

Dual Panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.58in
Ball diameter: 30mm	Weight: 0.66lb
Base diameter: 43mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



X-30

Panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.27in
Ball diameter: 30mm	Weight: 0.60lb
Base diameter: 44mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "





**Ball Head FH/M Series**

**Ball Head FH/M Series**



**FH-35 dual panoramic aluminum alloy tripod head**

Main material: Aluminum alloy	Height: 3.74in
Ball diameter: 35mm	Weight: 0.93lb
Base diameter: 47mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



35mm metal ball



Bubble level



3/8" screw hole



**Fine-Tuning Design**  
Damping fine-tuning twist knob designed for efficient and precise shooting.



**720° Double Panorama Design**  
It's convenient for photographers to adjust the position of camera freely and creat perfect panoramic works.





Ball Head FH/M Series



H-40

Dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.78in
Ball diameter: 40mm	Weight: 1.01lb
Base diameter: 54mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	QR plate model: PU-70
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



H-34

Dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.70in
Ball diameter: 34mm	Weight: 0.77lb
Base diameter: 48mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "



FH-30

Dual panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.54in
Ball diameter: 30mm	Weight: 0.82lb
Base diameter: 42mm	Loading capacity: 17.64lb
Bottom screw hole: 3/8 "	QR plate model: PU-60L
360° Rotation: Dual panoramic view	QR plate screw: 1/4 "

Ball Head FH/M Series



MT-02

Micro SLR camera panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 3.03in
Ball diameter: 28mm	Weight: 0.44lb
Base diameter: 37mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "



MT-03

Micro SLR camera panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 2.24in
Ball diameter: 25mm	Weight: 0.20lb
Base diameter: 33mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	Bearing plate diameter: 32mm
360° Rotation: Panoramic view	QR plate screw: 1/4 "



MT-04

Micro SLR camera panoramic aluminum alloy tripod head

Main material: Aluminum alloy	Height: 1.97in
Ball diameter: 20mm	Weight: 0.13b
Base diameter: 28mm	Loading capacity: 6.61lb
Bottom screw hole: 1/4 "	Bearing plate diameter: 20mm
360° Rotation: Panoramic view	QR plate screw: 1/4 "





## Flip Clip Tripod Head Series

## Flip Clip Tripod Head Series



### BK-32 aluminum alloy buckle locks panoramic tripod head

Main material: Aluminum alloy

Height: 2.95in

Ball diameter: 32mm

Weight: 0.60lb

Base diameter: 43mm

Loading capacity: 17.64lb

Bottom screw hole: 3/8 "

QR plate model: PU-43

360° Rotation: Panoramic view

QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



32mm metal ball



Quick locking system



Bottom 3/8" screw hole



### 360° Panorama Design

It's convenient for photographers to adjust the position of camera freely and creat perfect panoramic works.



### Buckle style quickly locking

Buckle locking ball design is quicker and more convenience than rotation locking.



Release state



Locked state



# Flip Clip Tripod Head Series



## BK-25

Aluminum alloy buckle locks panoramic tripod head

Main material: Aluminum alloy	Height: 2.56in
Ball diameter: 25mm	Weight: 0.40lb
Base diameter: 35mm	Loading capacity: 11.02lb
Bottom screw hole: 3/8 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "



## BK-20R

Aluminum alloy buckle locks panoramic tripod head

Main material: Aluminum alloy	Height: 2.64in
Ball diameter: 20mm	Weight: 0.29lb
Base diameter: 14mm	Loading capacity: 11.02lb
Bottom screw hole: 1/4 "	QR plate model: PU-43
360° Rotation: Panoramic view	QR plate screw: 1/4 "



## FL-20R

Aluminum alloy buckle locks panoramic tripod head

Main material: Aluminum alloy	Height: 2.17in
Ball diameter: 20mm	Weight: 0.22lb
Base diameter: 25mm	Loading capacity: 4.41lb
Bottom screw hole: 1/4 "	QR plate model: TY-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "



# Leveler Tripod Head Series



# Leveler Tripod Head Series

## DY-50 aluminum alloy horizontal adjustment tripod head




Main material: Aluminum alloy	Height: 1.38in
Plate diameter: 60mm	Weight: 0.44lb
Base diameter: 50mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	External screw: 3/8 "
Down/Up angle: ±12°	

\*Data is manual measurement. It exits slight error, please refer to the actual product



Top 3/8" screw



Bottom 3/8" screw hole



Anti-lost Design Retractable Lever



**Upgrade with Platform Safety Screw**  
Built-in platform safety screw to secure the photography device mounted to the leveling base



**Tilt Range:±12°**  
Tilt +/- 12° in any directions, increase shooting speed for horizontal photography



# Leveler Tripod Head Series

## DY-60A

### Aluminum alloy horizontal adjustment tripod head



Main material: Aluminum alloy	Height: 1.77in
Plate diameter: 66mm	Weight: 0.60lb
Base diameter: 60mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	External screw: 1/4 "
Down/Up angle: ±15°	

## DY-60N

### Aluminum alloy horizontal adjustment tripod head



Main material: Aluminum alloy	Height: 1.77in
Plate diameter: 66mm	Weight: 0.60lb
Base diameter: 60mm	Loading capacity: 22.05lb
Bottom screw hole: 3/8 "	External screw: 3/8 "
Down/Up angle: ±15°	

## LP-64

### Aluminum alloy fine adjustment horizontal tripod head



Main material: Aluminum alloy	Height: 1.61in
Plate diameter: 68mm	Weight: 0.44lb
Base diameter: 68mm	Loading capacity: 44.09lb
Bottom screw hole: 3/8 "	External screw: 3/8 "
Down/Up angle: ±8°	





## Indexing Tripod Head Series

## Indexing Tripod Head Series



### DH-60 aluminum alloy indexing Panoramic tripod head

Main material: Aluminum alloy

Height: 2.05in

Plate diameter: 60mm

Weight: 0.75lb

Base diameter: 60mm

Loading capacity: 44.09lb

Bottom screw hole: 3/8 "

Clamp type: Knob clamp

\*Data is manual measurement. It exits slight error, please refer to the actual product



Bubble level




Universal quick release plate clamp seat



3/8 " screw hole



- ① (15°—24 rotations)
- ② (30°—12 rotations)
- ③ (45°—8 rotations)
- ④ (60°—6 rotations)



Installed on ball head



Installed on a tripod

### 4 Angle Free Point Reminder

Just screw the positioning screrknob into thecorres-ponding hostart panoramic rotation, every click,you can accurately convert the angleeasy for blind shooting

### Akha standard dovetail installation groove

Can be quickly installed on the Akha standard QR plate, with a 3/8 "screw hole at the bottom suitable for most tripods and monopods on the market



# Indexing Tripod Head Series



## DH-55

### Aluminum alloy indexing panoramic tripod head

Main material: Aluminum alloy	Height: 2.76in
Plate diameter: 55mm	Weight: 0.82lb
Base diameter: 55mm	Loading capacity: 44.09lb
Bottom screw hole: 3/8 "	Clamp type: Knob clamp



## DH-55D

### Aluminum alloy indexing panoramic tripod head

Main material: Aluminum alloy	Height: 2.09in
Plate diameter: 55mm	Weight: 0.62lb
Base diameter: 55mm	Loading capacity: 44.09lb
Bottom screw hole: 3/8 "	External screw: 1/4 "



## DH-50

### Aluminum alloy indexing panoramic tripod head

Main material: Aluminum alloy	Height: 1.81in
Clamp card slot: Arca-Swiss	Weight: 0.55lb
Base diameter: 50mm	Loading capacity: 44.09lb
QR plate model: PU-50	Bottom screw hole: 3/8 "
360° Rotation: Panoramic view	QR plate screw: 1/4 "



# 2D Pan Tilt Head Series



# 2D Pan Tilt Head Series



VH-10R dual panoramic aluminum alloy 2D tripod head

Main material: Aluminum alloy	Height: 3.54in
Base diameter: 43mm	Weight: 0.84lb
Bottom screw hole: 3/8 "	Loading capacity: 22.05lb
QR plate model: PU-70	QR plate screw: 1/4 "
Down/up angle: 180°	360° Rotation: Dual panoramic view

\*Data is manual measurement. It exits slight error, please refer to the actual product



Bubble level



Large metal locking knob



Bottom 3/8" screw hole



**Double Panorama Design**  
360 ° panorama holder and pedestal, no dead angle rotation for more flexible shooting



**Vertical ± 90 °**  
180 ° vertical pitch adjustment, more flexible photography



# 2D Pan Tilt Head Series



GH-20R

Dual panoramic aluminum alloy 2D tripod head

Main material: Aluminum alloy	Height: 4.25in
Base diameter: 43mm	Weight: 0.62lb
Bottom screw hole: 3/8 "	Loading capacity: 33.07lb
QR plate model: PU-70	QR plate screw: 1/4 "
Down/up angle: 180°	360° Rotation: Dual panoramic view



VH-10

Dual panoramic aluminum alloy 2D tripod head

Main material: Aluminum alloy	Height: 3.54in
Base diameter: 38mm	Weight: 0.86lb
Bottom screw hole: 3/8 "	Loading capacity: 22.05lb
QR plate model: PU-70	QR plate screw: 1/4 "
Down/up angle: 180°	360° Rotation: Panoramic view



VH-10R

Dual panoramic aluminum alloy 2D tripod head

Main material: Aluminum alloy	Height: 3.54in
Base diameter: 43mm	Weight: 0.84lb
Bottom screw hole: 3/8 "	Loading capacity: 22.05lb
QR plate model: PU-70	QR plate screw: 1/4 "
Down/up angle: 180°	360° Rotation: Dual panoramic view





# Panorama+Bird Shoot Tripod Head Series

## Panorama + Bird Shoot Tripod Head Series



### PH720A VR aluminum alloy panoramic tripod head

Main material: Aluminum alloy	Height: 9.06in
Base diameter: 60mm	Weight: 2.12lb
Bottom screw hole: 3/8 "	Loading capacity: 33.07lb
Down/up angle: 360°	QR plate model: PU-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "

\*Data is manual measurement. It exits slight error, please refer to the actual product



Rotation-fixed Adjusting Knob



Hollow Panel Design



The Cantilever Scale Reaches 15cm



- ① (15°—24 rotations)
- ② (30°—12 rotations)
- ③ (45°—8 rotations)
- ④ (60°—6 rotations)

### 4 Angle Free Point Reminder

Precise indexing, click feeling, no need to look down at the scale during shooting, only rely on tactile rotation to take blind shots



Unscrew counterclockwise

### Vertical Board Fixing Knob

Loosen the bottom knob to turn the arm in place and quickly shoot up and down'Bring you unlimited shoot-ing fun





# Panorama + Bird Shoot Tripod Head Series



## PH720A

VR aluminum alloy panoramic tripod head

Main material: Aluminum alloy	Height: 9.06in
Base diameter: 60mm	Weight: 2.12lb
Bottom screw hole: 3/8 "	Loading capacity: 33.07lb
Down/up angle: 360°	QR plate model: PU-50
360° Rotation: Panoramic view	QR plate screw: 1/4 "



## PH720B

VR aluminum alloy panoramic tripod head

Main material: Aluminum alloy	Height: 7.87in
Base diameter: 50mm	Weight: 1.76lb
Bottom screw hole: 3/8 "	Loading capacity: 33.07lb
Down/up angle: 360°	QR plate size: 1.97in*1.50in*0.47in
360° Rotation: Panoramic view	QR plate screw: 1/4 "



## GHA-01

Professional bird shooting gimbal head

Main material: Aluminum alloy	Height: 8.27in
Base diameter: 56mm	Weight: 2.20lb
Bottom screw hole: 3/8 "	Loading capacity: 33.07lb
Down/up angle: 360°	QR plate model: PU-100
360° Rotation: Panoramic view	QR plate screw: 1/4 "



# Fluid Head Series



Fluid Head Series

VH-02 professional hydraulic photography camera tripod head



Main material: Aluminum alloy	Height: 4.13in
Base diameter: 65mm	Weight: 1.82lb
Bottom screw hole: 3/8 "	Loading capacity: 17.64lb
Clamp specifications: Manfrotto type	QR plate screw: 1/4 " & 3/8 "
Down/up angle: ±90° ±70°	Length of handle: 10.43in

\*Data is manual measurement. It exits slight error, please refer to the actual product



Lightweight hollow out design



Tilt locking knob



Unidirectional design of QR Plate



Detachable Pan Bar

The left and right sides of the ball head are equipped with gear interfaces, and the position can be adjusted according to personal habits



ADJUSTABLE TILT ANGLE

Featuring rebound force and enhanced dynamic balance characteristics, the camera movement/horizontal swing is smoother and smoother during shooting



Fluid Head Series

VH-02

Professional hydraulic photography camera tripod head



Main material: Aluminum alloy	Height: 4.13in
Base diameter: 65mm	Weight: 1.82lb
Bottom screw hole: 3/8 "	Loading capacity: 17.64lb
Clamp specifications: Manfrotto type	QR plate screw: 1/4 " & 3/8 "
Down/up angle: ±90° ±70°	Length of handle: 10.43in

VH-01

Professional hydraulic photography camera tripod head



Main material: Aluminum alloy	Height: 3.94in
Base diameter: 60mm	Weight: 2.05lb
Bottom screw hole: 3/8 "	Loading capacity: 17.64lb
Clamp specifications: Manfrotto type & Arca-swiss	QR plate screw: 1/4 " & 3/8 "
Down/up angle: ±90° ±70°	Length of handle: 10.43in

VS-02

Lightweight panoramic damping hydraulic tripod head



Main material: Aluminum alloy	Height: 3.54in
Base diameter: 47mm	Weight: 1.04lb
Bottom screw hole: 3/8 "	Loading capacity: 11.02lb
Clamp specifications: Arca-swiss	QR plate screw: 1/4 "
Down/up angle: ±90° ±70°	Length of handle: 4.53in-11.42in



# Quick-Release Clamps



**CL-50LS**  
Size: 89\*68\*15mm (3.50\*2.68\*0.59in)  
Weight: 88g (0.19lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**CL-70**  
Size: 78\*70\*17mm (3.07\*2.76\*0.67in)  
Weight: 122g (0.27lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**CL-70N**  
Size: 95\*70\*18mm (3.74\*2.76\*0.71in)  
Weight: 110g (0.24lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**CL-90N**  
Size: 95\*90\*18mm (3.74\*3.54\*0.71in)  
Weight: 130g (0.29lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**CL-110N**  
Size: 110\*95\*18mm (4.33\*3.74\*0.71in)  
Weight: 168g (0.37lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DC-34**  
Size: 70\*44\*18mm (2.76\*1.73\*0.71in)  
Weight: 70g (0.15lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DC-38**  
Size: 70\*38\*15mm (2.76\*1.50\*0.59in)  
Weight: 70g (0.15lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DC-38Q**  
Size: 75\*38\*15mm (2.95\*1.50\*0.59in)  
Weight: 64g (0.14lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DC-50**  
Size: 92\*50\*15mm (3.62\*1.97\*0.59in)  
Weight: 75g (0.17lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DC-50P**  
Size: 90\*50\*20mm (3.54\*1.97\*0.79in)  
Weight: 94g (0.21lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DM-55**  
Size: 100\*55\*15mm (3.94\*2.17\*0.59in)  
Weight: 110g (0.24lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DM-55A**  
Size: 90\*55\*15mm (3.54\*2.17\*0.59in)  
Weight: 67g (0.15lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "

# Quick-Release Clamps



**DM-55N**  
Size: 90\*52\*15mm (3.54\*2.05\*0.59in)  
Weight: 58g (0.13lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DM-60**  
Size: 90\*60\*17mm (3.54\*2.36\*0.67in)  
Weight: 93g (0.21lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DM-60N**  
Size: 97\*60\*15mm (3.82\*2.36\*0.59in)  
Weight: 88g (0.19lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DDR-50**  
Size: 126\*50\*20mm (4.96\*1.97\*0.79in)  
Weight: 130g (0.29lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**DR-50**  
Size: 77\*50\*17mm (3.03\*1.97\*0.67in)  
Weight: 91g (0.20lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**FC-25**  
Size: 96\*25\*20mm (3.78\*0.98\*0.79in)  
Weight: 52g (0.11lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**QF-60**  
Size: 68\*55\*26mm (2.68\*2.17\*1.02in)  
Weight: 120g (0.26lb)  
Clamp card slot: Arca-Swiss  
External screw: 1/4 "



**QR-50**  
Size: 77\*50\*16mm (3.03\*1.97\*0.63in)  
Weight: 90g (0.20lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**PAN-0**  
Size: 90\*60\*24mm (3.54\*2.36\*0.94in)  
Weight: 133g (0.29lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**PAN-02**  
Size: 92\*70\*30mm (3.62\*2.76\*1.18in)  
Weight: 172g (0.38lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



**PAN-60H**  
Size: 85\*60\*25mm (3.35\*2.36\*0.98in)  
Weight: 140g (0.31lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "



## Quick-Release Clamps



### PAN-C

Size: 85\*55\*23mm(3.35\*2.17\*0.91in)  
Weight: 119g (0.26lb)  
Clamp card slot: Arca-Swiss  
Bottom screw hole: 3/8 "

### DB-50

Size: 79\*77\*37mm(3.11\*3.03\*1.46in)  
Weight: 177g (0.39lb)  
Clamp card slot: Arca-Swiss  
QR plate model: PU-50

## Nodal Slide With Integqal Clamps



### FNR-100

Size: 135\*38\*19mm(5.31\*1.50\*0.75in)  
Weight: 110g (0.24lb)  
Clamp card slot: Arca-Swiss  
QR plate screw: 1/4 "

### FNR-140

Size: 170\*38\*19mm(6.69\*1.50\*0.75in)  
Weight: 140g (0.31lb)  
Clamp card slot: Arca-Swiss  
QR plate screw: 1/4 "

### FNR-200

Size: 230\*38\*19mm(9.06\*1.50\*0.75in)  
Weight: 170g (0.37lb)  
Clamp card slot: Arca-Swiss  
QR plate screw: 1/4 "

## Universal Quick Release Plates



### TY-01

Size: 44\*38\*8mm(1.73\*1.50\*0.31in)  
Weight: 23g (0.05lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "

### TY-50

Size: 50\*38\*7mm(1.97\*1.50\*0.28in)  
Weight: 25g (0.06lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "

### PU-40

Size: 40\*38\*10mm(1.57\*1.50\*0.39in)  
Weight: 27g (0.06lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "

## Universal Quick Release Plates



### PU-50

Size: 50\*38\*10mm(1.97\*1.50\*0.39in)  
Weight: 33g (0.07lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-50H

Size: 54\*42\*9mm(2.13\*1.65\*0.35in)  
Weight: 34g (0.07lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-60

Size: 60\*38\*10mm(2.36\*1.50\*0.39in)  
Weight: 37g (0.08lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-60L

Size: 60\*38\*10mm(2.36\*1.50\*0.39in)  
Weight: 36g (0.08lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-70

Size: 70\*38\*10mm(2.76\*1.50\*0.39in)  
Weight: 41g (0.09lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-70H

Size: 76\*38\*10mm(2.99\*1.50\*0.39in)  
Weight: 41g (0.09lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-70L

Size: 70\*38\*10mm(2.76\*1.50\*0.39in)  
Weight: 39g (0.09lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-100

Size: 100\*38\*10mm(3.94\*1.50\*0.39in)  
Weight: 52g (0.11lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### PU-140

Size: 140\*38\*10mm(5.51\*1.50\*0.39in)  
Weight: 85g (0.19lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 " & 3/8 "



### PU-150

Size: 150\*38\*10mm(5.91\*1.50\*0.39in)  
Weight: 87g (0.19lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 " & 3/8 "



### QR-60

Size: 63\*38\*10mm(2.48\*1.50\*0.39in)  
Weight: 48g (0.11lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



### X-36

Size: 52\*38\*8mm(2.05\*1.50\*0.31in)  
Weight: 23g (0.05lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



## Universal Quick Release Plates



**TH-650DV**  
Size: 94\*63\*15mm(3.70\*2.48\*0.59in)  
Weight: 83g (0.18lb)  
Dovetail groove: Manfrotto  
QR plate screw: 1/4 "



**QRC-01**  
Size: 132\*50\*20mm(5.20\*1.97\*0.79in)  
Weight: 150g (0.33lb)  
Dovetail groove: Manfrotto/Arca-Swiss  
QR plate screw: 1/4 " & 3/8 "



**501PL**  
Size: 90\*50\*11mm(3.54\*1.97\*0.43in)  
Weight: 83g (0.18lb)  
Dovetail groove: Manfrotto  
QR plate screw: 1/4 " & 3/8 "

## Long Quick Release Plates



**BPL-180**  
Size: 180\*38\*10mm(7.09\*1.50\*0.39in)  
Weight: 160g (0.35lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 " & 3/8 "



**BPL-300**  
Size: 300\*38\*16mm(11.81\*1.50\*0.63in)  
Weight: 270g (0.60lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 " & 3/8 "

## Specific L-Plates



**A6300**  
Size: 93\*39\*53mm(3.66\*1.54\*2.09in)  
Weight: 75g (0.17lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



**D500L**  
Size: 103\*49\*85mm(4.06\*1.93\*3.35in)  
Weight: 145g (0.32lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



**D750L**  
Size: 106\*55\*82mm(4.17\*2.17\*3.23in)  
Weight: 101g (0.22lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "

## Specific L-Plates



**D810L**  
Size: 114\*54\*88mm(4.49\*2.13\*3.46in)  
Weight: 145g (0.32lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



**L-BC**  
Size: 135\*60\*125mm(5.31\*2.36\*4.92in)  
Weight: 270g (0.60lb)  
Dovetail groove: /  
QR plate screw: 1/4 " & 3/8 "



**L-238**  
Size: 132\*50\*75mm(5.20\*1.97\*2.95in)  
Weight: 120g (0.06lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



**L-QR50**  
Size: 95\*68\*120mm(3.74\*2.68\*4.72in)  
Weight: 96g (0.21lb)  
Dovetail groove: Manfrotto/Arca-Swiss  
QR plate screw: 1/4 "



**MPU-100L**  
Size: 108\*38\*75mm(4.25\*1.50\*2.95in)  
Weight: 100g (0.22lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "



**MPU-120L**  
Size: 128\*38\*75mm(5.04\*1.50\*2.95in)  
Weight: 110g (0.24lb)  
Dovetail groove: Arca-Swiss  
QR plate screw: 1/4 "

## Photography Accessories Series



**FL-08**  
Size: 115\*72\*10mm(4.53\*2.83\*0.39in)  
Weight: 132g (0.29lb)  
Color temperature range: 3000K-5500K  
Maximum power: 9.6W  
LED Qty: 96  
Charging interface: Type-C  
Fixed interface: 1/4" screw



**PC-100**  
Size: 49\*22\*23mm(1.93\*0.87\*0.91in)  
Weight: 41g (0.09lb)  
Clampable width: 0-13mm  
Bottom screw hole: 1/4"



**L-200**  
Size: 220\*107\*52mm(8.66\*4.21\*2.05in)  
Weight: 541g (1.19lb)  
Load capacity: 15kg(33.07lb)  
QR Plate model: PU-50  
Bottom screw hole: 1/4 " & 3/8 "



Photography Accessories Series



**SJ-03**  
Size: 95\*30\*21mm(3.74\*1.18\*0.83in)  
Weight: 77g (0.17lb)  
Clampable width: 64-97mm(2.52-3.82in)  
Bottom screw hole: 1/4"



**SJ-04**  
Size: 97\*38\*32mm(3.82\*1.50\*1.26in)  
Weight: 71g (0.16lb)  
Clampable width: 63-111mm(2.48-4.37in)  
Bottom screw hole: 3/8"



**SJ-04L**  
Size: 81\*38\*121mm(3.19\*1.50\*4.76in)  
Weight: 182g (0.40lb)  
Clampable width: 64-110mm(2.52-4.33in)  
Bottom screw hole: 1/4"



**MFC-60**  
Size: 108\*42\*71mm(4.25\*1.65\*2.80in)  
Weight: 249g (0.55lb)  
Clampable width: 0-2.36in/φ60-φ8  
Screw interface: 1/4"



**UC-01**  
Size: 180\*65\*35mm(7.09\*2.56\*1.38in)  
Weight: 250g (0.55lb)  
Clampable width: φ36-φ13  
Screw interface: 1/4"



**CM-55M**  
Size: 97\*88\*45mm(3.82\*3.46\*1.77in)  
Weight: 200g (0.44lb)  
Clampable width: 0-2.09in/φ55-φ13  
Screw interface: 1/4"



**TC-90**  
Size: 135\*31\*80mm(5.31\*1.22\*3.15in)  
Weight: 250g (0.55lb)  
Clampable width: 0-2.56in/φ90-φ15  
Screw interface: 1/4"



**TC-36**  
Size: 70\*60\*23mm(2.76\*2.36\*0.91in)  
Weight: 119 (0.26lb)  
Clampable width: 0-1.42in/φ36-φ15  
Screw interface: 1/4"



**MZ-130**  
Size: 140\*22\*38mm(5.51\*0.87\*1.50in)  
Weight: 100g (0.22lb)  
Load capacity: 5kg(11.02lb)  
Screw interface: 1/4"

Photography Accessories Series



**RB-60**  
Size: 84\*61\*18mm(3.31\*2.40\*0.71in)  
Weight: 120g (0.26lb)  
Base diameter: 60mm  
Bottom screw hole: 1/4"



**HT-28**  
Size: 375\*75\*122mm(14.76\*2.95\*4.80in)  
Weight: 340g (0.75lb)  
Base diameter: 43mm  
Screw interface: 1/4" & 3/8"



**ER222C**  
Weight/Load capacial: 93g (0.21lb)/5kg(11.02lb)  
Tube diameter: 22/19mm  
Max height/Folded height: 350mm(13.78in)/210mm(8.27in)  
Bearing plate screws: 1/4" & 3/8"  
Bottom screw hole: 3/8"



**ER252C**  
Weight/Load capacial: 110g (0.24lb)/8kg(17.64lb)  
Tube diameter: 25/22mm  
Max height/Folded height: 350mm(13.78in)/210mm(8.27in)  
Bearing plate screws: 1/4" & 3/8"  
Bottom screw hole: 3/8"



**ER282C**  
Weight/Load capacial: 130g (0.29lb)/12kg(26.46lb)  
Tube diameter: 28/25mm  
Max height/Folded height: 350mm(13.78in)/210mm(8.27in)  
Bearing plate screws: 1/4" & 3/8"  
Bottom screw hole: 3/8"



**ER322C**  
Weight/Load capacial: 140g (0.31lb)/15kg(33.07lb)  
Tube diameter: 32/28mm  
Max height/Folded height: 350mm(13.78in)/215mm(8.46in)  
Bearing plate screws: 1/4" & 3/8"  
Bottom screw hole: 3/8"



Metal Foot Nails



Metal Foot Nails



Tripod bag



## PART 03

# Production Capacity



# PRODUCTION CAPACITY

Existing 2 pre-processing lines, 8 production lines, 4 test lines, 3 packaging lines, the daily production capacity of up to 1000 sets, while there are supporting CNC lathes and CNC processing plants, from the supply chain source to ensure the company's normal production and high quality requirements.



## WORKSHOP

17 assembly lines  
120 employees



## LATHE

25 sets Lathe equipment  
8 CNC lathe masters  
15 operators



## CNC EQUIPMENT

35 sets full-automate CNC equipment  
4.8 CNC control masters  
20 operators



# ASSEMBLY WORKSHOP





# EQUIPMENT DISPLAY





# EQUIPMENT DISPLAY





## PART 04

# Core Advantages



# CORE ADVANTAGES





PAPT 05

**Contact Us**



# CONTACT US



Company website



Wechat contact



+86-760-88361108  
+86-13726110757  
+86-13925391094



cv01@cavix.cn



<http://www.cavixgear.com>



No. 2 Yongyi 6th Road,  
Tanzhou Town,  
Zhongshan City, Guangdong  
Province, China